

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Acenaphthene	83-32-9	2400	20000	2.1	0.3	0.3	21	-Liver
Acenaphthylene	208-96-8	1800	20000	27	NA	NA	270	-Liver
Acephate	30560-19-1	120	720	0.02	0.8	0.8	0.2	-Carcinogen -Neurological
Acetaldehyde	75-07-0	15	20	NA	NA	NA	NA	-Nasal
Acetone	67-64-1	11000	68000	25	6.8	6.8	250	-Kidney -Liver -Neurological
Acetophenone	98-86-2	3900	32000	3.9	44	44	39	-None Specified
Acifluorfen, sodium [or Blazer]	62476-59-9	28	140	0.1	25	25	1	-Kidney
Acrolein	107-02-8	0.05	0.3	0.01	0.002	0.002	0.1	-Nasal
Acrylamide	79-06-1	0.1	0.4	0.00003	0.001	0.001	0.0003	-Carcinogen -Neurological
Acrylic acid	79-10-7	48	250	14	NA	NA	140	-Developmental
Acrylonitrile	107-13-1	0.3	0.6	0.0003	0.001	0.001	0.003	-Carcinogen -Nasal -Reproductive
Alachlor	15972-60-8	11	44	0.02	0.005	0.005	0.2	-Blood -Carcinogen
Aldicarb [or Temik]	116-06-3	68	920	0.03	0.004	0.004	0.3	-Neurological
Aldrin	309-00-2	0.06	0.3	0.2	0.01	0.01	2	-Carcinogen -Liver
Allyl [or Metsulfuron, methyl]	74223-64-6	19000	300000	12	NA	NA	120	-Body Weight
Allyl alcohol	107-18-6	140	970	0.1	0.02	0.02	1	-Kidney -Liver
Allyl chloride	107-05-1	0.5	2.7	0.2	NA	NA	2	-Neurological
Aluminum	7429-90-5	80000	*	***	***	***	***	-Body Weight

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Aluminum phosphide	20859-73-8	35	880	***	***	***	***	-Body Weight
Ametryn	834-12-8	670	11000	0.8	0.08	0.08	8	-Liver
Ammonia (a)	7664-41-7	35000	880000	***	***	NA	***	-Respiratory
Aniline	62-53-3	27	150	0.03	0.02	0.02	0.3	-Blood -Carcinogen -Spleen
Anthracene	120-12-7	21000	300000	2500	0.4	0.4	25000	-None Specified
Antimony (b)	7440-36-0	27	370	5.4	3900	3900	54	-Blood
Aroclor mixture [see PCBs]								
Arsenic	NOCAS	2.1	12	***	***	***	***	-Carcinogen -Cardiovascular -Skin
Atrazine	1912-24-9	4.3	19	0.06	0.04	0.04	0.6	-Carcinogen -Cardiovascular
Azinphos, methyl [see Guthion]								
Azobenzene	103-33-3	7.9	31	0.03	0.4	0.4	0.3	-Carcinogen
Barium (soluble salts) (b)	7440-39-3	120**	130000	1600	NA	NA	16000	-Cardiovascular
Baygon [or Propoxur]	114-26-1	280	4100	0.2	0.002	0.002	2	-Blood -Neurological
Bayleton	43121-43-3	2400	46000	4.8	11	11	48	-Blood
Benomyl	17804-35-2	4000	77000	3.1	0.03	0.03	31	-Developmental
Bentazon	25057-89-0	2100	32000	1.2	NA	NA	12	-Blood
Benzaldehyde	100-52-7	3300	24000	4.8	0.4	0.4	48	-Gastrointestinal -Kidney
Benzene	71-43-2	1.2	1.7	0.007	0.5	0.5	0.07	-Blood -Carcinogen

**Table II
Soil Cleanup Target Levels**

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria (mg/kg)	Leachability Based on Freshwater Surface Water Criteria (mg/kg)	Leachability Based on Marine Surface Water Criteria (mg/kg)	Leachability Based on Groundwater of Low Yield/Poor Quality (mg/kg)	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
Benzenethiol	108-98-5	0.2	1.3	0.001	NA	NA	0.01	-Liver
Benzidine	92-87-5	0.004	0.02	0.00002	0.00002	0.00002	0.0002	-Carcinogen -Liver -Neurological
Benzo(a)anthracene	56-55-3	#	#	0.8	NA	NA	8	-Carcinogen
Benzo(a)pyrene	50-32-8	0.1	0.7	8	NA	NA	80	-Carcinogen
Benzo(b)fluoranthene	205-99-2	#	#	2.4	NA	NA	24	-Carcinogen
Benzo(g,h,i)perylene	191-24-2	2500	52000	32000	NA	NA	320000	-Neurological
Benzo(k)fluoranthene	207-08-9	#	#	24	NA	NA	240	-Carcinogen
Benzoic acid	65-85-0	180000	*	110	36	36	1100	-None Specified
Benzotrichloride	98-07-7	0.04	0.09	0.0001	0.00008	0.00008	0.001	-Carcinogen
Benzyl alcohol	100-51-6	26000	670000	9.5	2.3	2.3	95	-Gastrointestinal
Benzyl chloride	100-44-7	1	1.6	0.002	0.02	0.02	0.02	-Carcinogen
Beryllium (b)	7440-41-7	120	1400	63	2.1	2.1	630	-Carcinogen -Gastrointestinal -Respiratory
Betanal [see Phenmedipham]								
BHC, alpha- [see Hexachlorocyclohexane, alpha-] (f)								
BHC, beta- [see Hexachlorocyclohexane, beta-] (f)								
BHC, delta- [see Hexachlorocyclohexane, delta-] (f)								
BHC, gamma- [see Hexachlorocyclohexane, gamma-] (f)								
Bidrin [or Dicrotophos]	141-66-2	7.4	120	0.005	0.1	0.1	0.05	-Developmental

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Biphenyl, 1,1- [or Diphenyl]	92-52-4	3000	34000	0.2	5.8	5.8	2	-Kidney
Bis(2-chloro-1-methylethyl)ether [see Bis(2-chloroisopropyl)ether]								
Bis(2-chloroethoxy)methane	111-91-1	250	5700	63	NA	NA	630	-Liver
Bis(2-chloroethyl)ether	111-44-4	0.3	0.5	0.0001	0.002	0.002	0.001	-Carcinogen
Bis(2-chloroisopropyl)ether [or Bis(2-chloro-1-methylethyl)ether]	39638-32-9	6	12	0.009	0.4	0.4	0.09	-Blood -Carcinogen
Bis(2-ethylhexyl)adipate	103-23-1	620	1900	780	64	64	7800	-Body Weight -Carcinogen
Bis(2-ethylhexyl)phthalate [or DEHP]	117-81-7	72	390	3600	1300	1300	36000	-Carcinogen -Liver
Bisphenol A	80-05-7	4000	79000	11	1.7	1.7	110	-Body Weight
Blazer [see Acifluorfen, sodium]								
Boron	7440-42-8	17000	430000	***	NA	NA	***	-Reproductive -Respiratory
Bravo [see Chlorothalonil]								
Bromacil	314-40-9	7500	120000	0.5	0.6	0.6	5	-Body Weight
Bromate	15541-45-4	1	2.8	0.0002	NA	460	0.002	-Carcinogen -Kidney
Bromochloromethane	74-97-5	95	530	0.6	NA	NA	6	-None Specified
Bromodichloromethane	75-27-4	1.5	2.2	0.004	0.1	0.1	0.04	-Carcinogen -Kidney
Bromoform	75-25-2	48	93	0.03	2.7	2.7	0.3	-Carcinogen -Liver
Bromomethane [or Methyl bromide]	74-83-9	3.1	16	0.05	0.2	0.2	0.5	-Gastrointestinal -Respiratory
Bromoxynil	1689-84-5	1600	29000	3	NA	NA	30	-None Specified

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Butanol, n-	71-36-3	2900	21000	3	110	110	30	-Neurological
Butanol, tert- [see Butyl alcohol, tert-]								
Butanone, 2- [see Methyl ethyl ketone]								
Butyl alcohol, tert- [or Butanol, tert-]	75-65-0	3200	19000	5.7	NA	NA	57	-Kidney -Neurological
Butyl benzyl phthalate	85-68-7	17000	380000	310	56	56	3100	-Liver
Butylate	2008-41-5	3200	40000	5.2	0.2	0.2	52	-Liver
Butylphthalyl butylglycolate	85-70-1	84000	*	4200	NA	NA	42000	-None Specified
Cadmium (b,c,h)	7440-43-9	82	1700	7.5	NA	14	75	-Carcinogen -Kidney
Calcium cyanide	592-01-8	3500	88000	***	NA	NA	***	-Neurological -Thyroid
Captafol	2425-06-1	110	570	0.5	0.1	0.1	5	-Carcinogen -Kidney
Captan	133-06-2	230	750	0.1	0.03	0.03	1	-Body Weight -Carcinogen
Carbaryl [or Sevin]	63-25-2	7700	130000	8.7	0.0007	0.0007	87	-Kidney -Liver
Carbazole	86-74-8	49	240	0.2	6.5	6.5	2	-Carcinogen
Carbofuran	1563-66-2	130	910	0.2	0.0006	0.0006	2	-Neurological -Reproductive
Carbon disulfide	75-15-0	270	1500	5.6	0.8	0.8	56	-Developmental -Neurological
Carbon tetrachloride	56-23-5	0.5	0.7	0.04	0.06	0.06	0.4	-Carcinogen -Liver
Carbophenothion [or Trithion]	786-19-6	11	250	13	1.5	1.5	130	-Neurological
Carboxin	5234-68-4	7400	120000	5	0.4	0.4	50	-Body Weight

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria (mg/kg)	Leachability Based on Freshwater Surface Water Criteria (mg/kg)	Leachability Based on Marine Surface Water Criteria (mg/kg)	Leachability Based on Groundwater of Low Yield/Poor Quality (mg/kg)	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
CFC 113 [see Trichloro-1,2,2-trifluoroethane, 1,1,2-]								-Adrenals
Chloral hydrate	302-17-0	5700	62000	0.3	NA	NA	3	-Gastrointestinal -Neurological
Chloramben	133-90-4	960	12000	0.5	NA	NA	5	-Liver
Chlordane (total)	(j)	2.8	14	9.6	0.003	0.003	96	-Carcinogen -Liver
Chlorine cyanide [or Cyanogen chloride]	506-77-4	3100	37000	71	0.3	0.3	710	-Neurological -Thyroid
Chloro-1,1-difluoroethane, 1-	75-68-3	16000	84000	NA	NA	NA	NA	-None Specified
Chloro-1,3-butadiene [or Chloroprene]	126-99-8	3.5	19	1.5	NA	NA	15	-Hair Loss -Nasal
Chloro-3-methylphenol, 4- [see Chloro-m-cresol, p-]								
Chloroacetic acid	79-11-8	130	1700	0.07	13	13	0.7	-Cardiovascular
Chloroaniline, p-	106-47-8	270	3700	0.2	0.02	0.02	2	-Spleen
Chlorobenzene	108-90-7	120	650	1.3	0.2	0.2	13	-Liver
Chlorobenzilate	510-15-6	3.6	18	0.1	0.01	0.01	1	-Body Weight -Carcinogen
Chlorobenzoic acid, p-	74-11-3	16000	290000	28	NA	NA	280	-None Specified
Chlorobenzotrifluoride, 4-	98-56-6	130	710	5.2	NA	NA	52	-Kidney
Chlorobutane, 1-	109-69-3	780	4200	26	NA	NA	260	-Blood -Neurological
Chlorodifluoromethane	75-45-6	16000	82000	NA	NA	NA	NA	-Adrenals -Kidney -Pituitary
Chloroethane [see Ethyl chloride]								
Chloroform	67-66-3	0.4	0.6	0.4	2.8	2.8	4	-Carcinogen -Liver

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Chloro-m-cresol, p- [or Chloro-3-methylphenol, 4-]	59-50-7	600	8000	0.4	0.6	0.6	4	-Body Weight
Chloromethane [see Methyl chloride]								
Chloronaphthalene, beta-	91-58-7	5000	61000	260	740	740	2600	-Liver -Respiratory
Chloronitrobenzene, o-	88-73-3	22	51	0.02	NA	NA	0.2	-Carcinogen
Chloronitrobenzene, p-	100-00-5	31	73	0.03	1.6	1.6	0.3	-Carcinogen
Chlorophenol, 2-	95-57-8	130	860	0.7	2.5	2.5	7	-Reproductive
Chlorophenol, 3-	108-43-0	370	5900	0.002	3.1	3.1	0.02	-Reproductive
Chlorophenol, 4-	106-48-9	330	4400	0.0007	1.2	1.2	0.007	-Reproductive
Chloroprene [see Chloro-1,3-butadiene]								
Chloropropane, 2-	75-29-6	47	250	NA	NA	NA	NA	-Liver
Chlorothalonil [or Bravo]	1897-45-6	88	420	0.2	0.06	0.06	2	-Carcinogen -Kidney
Chlorotoluene, o-	95-49-8	200	1200	2.8	7.7	7.7	28	-Body Weight
Chlorotoluene, p-	106-43-4	170	990	2.5	NA	NA	25	-None Specified
Chlorpropham	101-21-3	16000	310000	51	7	7	510	-Bone Marrow -Kidney -Liver -Spleen
Chlorpyrifos	2921-88-2	250	5000	15	0.001	0.001	150	-Neurological
Chromium (hexavalent) (b)	18540-29-9	210	470	NA	4.2	19	NA	-Carcinogen -Respiratory
Chromium (total) (b,g)	NOCAS	210	470	38	4.2	19	380	-Carcinogen
Chromium (trivalent) (b)	16065-83-1	110000	*	NA	NA	*	NA	-None Specified

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Chrysene	218-01-9	#	#	77	NA	NA	770	-Carcinogen
Cobalt	7440-48-4	1700	42000	***	NA	NA	***	-Cardiovascular -Immunological -Neurological -Reproductive
Copper	7440-50-8	150**	89000	***	NA	***	***	-Gastrointestinal
Coumaphos	56-72-4	21	450	0.3	0.0007	0.0007	3	-Neurological
Cresol, m- [see Methylphenol, 3-]								
Cresol, o- [see Methylphenol, 2-]								
Cresol, p- [see Methylphenol, 4-]								
Crotonaldehyde	123-73-9	0.6	3.3	0.00008	NA	NA	0.0008	-Carcinogen
Cumene [or Isopropyl benzene]	98-82-8	220	1200	0.2	56	56	2	-Adrenals -Kidney
Cyanide, free (b)	57-12-5	34**	11000	0.8	0.02	0.004	8	-Neurological -Thyroid
Cyanogen	460-19-5	560	3400	57	NA	NA	570	-Neurological -Thyroid
Cyanogen chloride [see Chlorine cyanide]								
Cycloate	1134-23-2	340	4700	0.7	2.5	2.5	7	-Neurological
Cyclohexanone	108-94-1	150000	*	150	110	110	1500	
Cyclohexylamine	108-91-8	18000	440000	7.9	22	22	79	-Reproductive
Cyhalothrin [or Karate]	68085-85-8	420	9600	290	150	150	2900	-Developmental
Cymene, p-	99-87-6	960	5600	NA	NA	NA	NA	-Gastrointestinal -Skin
Cypermethrin	52315-07-8	840	19000	30	0.002	0.002	300	-Gastrointestinal

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria (mg/kg)	Leachability Based on Freshwater Surface Water Criteria (mg/kg)	Leachability Based on Marine Surface Water Criteria (mg/kg)	Leachability Based on Groundwater of Low Yield/Poor Quality (mg/kg)	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
DBCP, 1,2- [see Dibromo-3-chloropropane, 1,2-]								
DDD, 4,4'- [see Dichlorodiphenyldichloroethane, p,p']								
DDE, 4,4'- [see Dichlorodiphenyldichloroethylene, p,p']								
DDT, 4,4'- [see Dichlorodiphenyltrichloroethane, p,p']								
Decabromodiphenyl ether	1163-19-5	840	19000	9.3	NA	NA	93	-None Specified
DEHP [see Bis(2-ethylhexyl)phthalate]								
Diallate	2303-16-4	16	82	0.6	NA	NA	6	-Carcinogen -None Specified
Diazinon	333-41-5	70	1200	0.2	0.00005	0.00005	2	-Neurological
Dibenz(a,h)anthracene	53-70-3	#	#	0.7	NA	NA	7	-Carcinogen
Dibenzofuran	132-64-9	320	6300	15	36	36	150	-None Specified
Dibromo-3-chloropropane, 1,2- [or DBCP, 1,2-]	96-12-8	0.7	3.8	0.001	NA	NA	0.01	-Carcinogen -Reproductive
Dibromobenzene, 1,4-	106-37-6	430	3600	7.8	27	27	78	-Liver
Dibromochloromethane	124-48-1	1.5	2.3	0.003	0.2	0.2	0.03	-Carcinogen -Liver
Dibromoethane, 1,2- [or EDB]	106-93-4	0.1	0.2	0.0001	0.07	0.07	0.001	-Carcinogen -Reproductive
Dibutyl phthalate	84-74-2	8200	170000	47	1.5	1.5	470	-Mortality
Dicamba	1918-00-9	2300	40000	2.6	2.4	2.4	26	-Developmental
Dichloroacetic acid	79-43-6	21	120	0.005	8.1	8.1	0.05	-Carcinogen -Liver -Neurological -Reproductive
Dichloroacetonitrile	3018-12-0	340	2900	0.03	NA	NA	0.3	-None Specified

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Dichlorobenzene, 1,2-	95-50-1	880	5000	17	2.8	2.8	170	-Body Weight
Dichlorobenzene, 1,3-	541-73-1	380	2200	7	2.8	2.8	70	-None Specified
Dichlorobenzene, 1,4-	106-46-7	6.4	9.9	2.2	0.09	0.09	22	-Carcinogen -Liver
Dichlorobenzidine, 3,3'-	91-94-1	2.1	9.9	0.003	0.0009	0.0009	0.03	-Carcinogen
Dichlorobenzophenone, 4,4'-	90-98-2	2500	51000	25	190	190	250	-None Specified
Dichlorodifluoromethane	75-71-8	77	410	44	NA	NA	440	-Liver
Dichlorodiphenyldichloroethane, p,p'- [or DDD, 4,4'-]	72-54-8	4.2	22	5.8	0.01	0.01	58	-Carcinogen
Dichlorodiphenyldichloroethylene, p,p'- [or DDE, 4,4'-]	72-55-9	2.9	15	18	0.04	0.04	180	-Carcinogen
Dichlorodiphenyltrichloroethane, p,p'- [or DDT, 4,4'-]	50-29-3	2.9	15	11	0.06	0.06	110	-Carcinogen -Liver
Dichloroethane, 1,1-	75-34-3	390	2100	0.4	NA	NA	4	-Kidney
Dichloroethane, 1,2- [or EDC]	107-06-2	0.5	0.7	0.01	0.2	0.2	0.1	-Carcinogen -None Specified
Dichloroethene, 1,1-	75-35-4	95	510	0.06	0.03	0.03	0.6	-Liver
Dichloroethene, cis-1,2-	156-59-2	33	180	0.4	NA	NA	4	-Blood
Dichloroethene, trans-1,2-	156-60-5	53	290	0.7	75	75	7	-Blood -Liver
Dichlorophenol, 2,3-	576-24-9	230	4100	0.0008	1.2	1.2	0.008	-Immunological
Dichlorophenol, 2,4-	120-83-2	190	2400	0.003	0.1	0.1	0.03	-Immunological
Dichlorophenol, 2,5-	583-78-8	240	4600	0.02	4.3	4.3	0.2	-Immunological
Dichlorophenol, 2,6-	87-65-0	220	3600	0.007	2.5	2.5	0.07	-Immunological

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
Dichlorophenol, 3,4-	95-77-2	230	3700	0.01	2	2	0.1	-Immunological
Dichlorophenoxy acetic acid, 2,4-	94-75-7	770	13000	0.7	0.9	0.9	7	-Blood -Kidney -Liver
Dichloropropane, 1,2-	78-87-5	0.6	0.9	0.03	0.09	0.09	0.3	-Carcinogen -Nasal
Dichloropropene, 1,3-	542-75-6	1.4	2.2	0.002	0.09	0.09	0.02	-Carcinogen -Gastrointestinal -Nasal
Dichlorprop	120-36-5	370	5800	0.3	0.3	0.3	3	-None Specified
Dichlorvos	62-73-7	0.3	0.4	0.0006	0.00002	0.00002	0.006	-Carcinogen -Neurological
Dicofol [or Kelthane]	115-32-2	2.2	11	0.01	0.0008	0.0008	0.1	-Adrenals -Carcinogen
Dicrotophos [see Bidrin]								
Dieldrin	60-57-1	0.06	0.3	0.002	0.0001	0.0001	0.02	-Carcinogen -Liver
Diethyl phthalate	84-66-2	61000	*	86	5.9	5.9	860	-Body Weight
Diethylene glycol, monoethyl ether	111-90-0	130000	*	63	750	750	630	-Kidney
Diisopropyl methylphosphonate	1445-75-6	4500	49000	3.6	85	85	36	-None Specified
Dimethoate	60-51-5	13	170	0.006	0.0004	0.0004	0.06	-Neurological
Dimethoxybenzidine, 3,3'-	119-90-4	69	330	0.2	NA	NA	2	-Carcinogen
Dimethrin	70-38-2	24000	440000	2500	1.3	1.3	25000	-Liver
Dimethylaniline, 2,4-	95-68-1	0.5	1	0.0005	19	19	0.005	-Blood -Carcinogen -Spleen
Dimethylaniline, N,N-	121-69-7	55	380	0.1	12	12	1	-Spleen
Dimethylbenzidine, 3,3'-	119-93-7	0.1	0.6	0.001	NA	NA	0.01	-Carcinogen

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria (mg/kg)	Leachability Based on Freshwater Surface Water Criteria (mg/kg)	Leachability Based on Marine Surface Water Criteria (mg/kg)	Leachability Based on Groundwater of Low Yield/Poor Quality (mg/kg)	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
Dimethylformamide, N,N-	68-12-2	1400	8600	3	210	210	30	-Gastrointestinal -Liver
Dimethylphenol, 2,4-	105-67-9	1300	18000	1.7	1.9	1.9	17	-Blood -Neurological
Dimethylphenol, 2,6-	576-26-1	34	370	0.04	5.2	5.2	0.4	-Kidney -Liver -Spleen
Dimethylphenol, 3,4-	95-65-8	71	1000	0.06	3.4	3.4	0.6	-Kidney -Liver -Spleen
Dimethylphthalate	131-11-3	690000	*	380	7.8	7.8	3800	-Kidney
Dinitrobenzene, 1,2- (o)	528-29-0	23	240	0.01	0.2	0.2	0.1	-Spleen
Dinitrobenzene, 1,3- (m)	99-65-0	5.8	64	0.004	0.4	0.4	0.04	-Spleen
Dinitrobenzene, 1,4- (p)	100-25-4	35	890	0.04	0.4	0.4	0.4	-Spleen
Dinitro-o-cresol, 4,6-	534-52-1	8.4	180	0.4	NA	NA	4	-Metabolic Disorders
Dinitrophenol, 2,4-	51-28-5	110	1200	0.06	0.01	0.01	0.6	-Eye
Dinitrotoluene, 2,4-	121-14-2	1.2	4.3	0.0004	0.07	0.07	0.004	-Carcinogen -Liver -Neurological
Dinitrotoluene, 2,6-	606-20-2	1.2	3.8	0.0004	0.005	0.005	0.004	-Blood -Carcinogen -Kidney -Neurological
Di-n-octylphthalate	117-84-0	1700	39000	480000	NA	NA	4800000	-Kidney -Liver
Dinoseb	88-85-7	65	840	0.03	0.03	0.03	0.3	-Developmental
Dioxane, 1,4-	123-91-1	23	38	0.01	0.5	0.5	0.1	-Carcinogen
Dioxins, as total 2,3,7,8-TCDD equivalents (e)	1746-01-6	0.000007	0.00003	0.003	0.0000006	0.0000006	0.03	-Carcinogen
Diphenamid	957-51-7	2300	41000	2.6	20	20	26	-Liver
Diphenyl [see Biphenyl, 1,1-]								

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria (mg/kg)	Leachability Based on Freshwater Surface Water Criteria (mg/kg)	Leachability Based on Marine Surface Water Criteria (mg/kg)	Leachability Based on Groundwater of Low Yield/Poor Quality (mg/kg)	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
Diphenylamine, N,N-	122-39-4	2000	40000	14	NA	NA	140	-Kidney -Liver
Diphenylhydrazine, 1,2-	122-66-7	1.1	4.8	0.002	0.007	0.007	0.02	-Carcinogen
Diquat	85-00-7	190	4300	800	60	60	8000	-Eye
Disulfoton	298-04-4	3.3	66	0.09	0.1	0.1	0.9	-Neurological
Diuron	330-54-1	150	2300	0.3	0.2	0.2	3	-Blood
EDB [see Dibromoethane, 1,2-]								
EDC [see Dichloroethane, 1,2-]								
Endosulfan (alpha+beta+sulfate)	115-29-7	450	7600	3.8	0.005	0.0008	38	-Cardiovascular -Kidney
Endothall	145-73-3	1800	44000	0.4	0.4	0.4	4	-Gastrointestinal
Endrin	72-20-8	25	510	1	0.001	0.001	10	-Liver
EPEG [see Ethylphthalyl ethylglycolate]								
Epichlorohydrin	106-89-8	14	80	0.03	1.1	1.1	0.3	-Carcinogen -Kidney -Nasal
EPN [see Ethyl p-nitrophenyl phenylphosphorothioate]								
EPTC [see Ethyl dipropylthiocarbamate, S-]								
Ethanol	64-17-5	*	*	40	NA	NA	400	-Developmental
Ethion	563-12-2	42	920	1.7	0.003	0.003	17	-Neurological
Ethoprop	13194-48-4	7.4	120	0.005	0.002	0.002	0.05	-Neurological
Ethoxyethanol acetate, 2-	111-15-9	14000	130000	8.8	8.4	8.4	88	-Developmental

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria (mg/kg)	Leachability Based on Freshwater Surface Water Criteria (mg/kg)	Leachability Based on Marine Surface Water Criteria (mg/kg)	Leachability Based on Groundwater of Low Yield/Poor Quality (mg/kg)	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
Ethoxyethanol, 2-	110-80-5	10000	72000	13	NA	NA	130	-Reproductive
Ethyl acetate	141-78-6	9100	53000	26	26	26	260	-Body Weight
Ethyl acrylate	140-88-5	2	3	0.002	0.6	0.6	0.02	-Carcinogen
Ethyl chloride [or Chloroethane]	75-00-3	3.9	5.4	0.06	NA	NA	0.6	-Carcinogen -Developmental
Ethyl dipropylthiocarbamate, S- [or EPTC]	759-94-4	1400	14000	11	15	15	110	-Cardiovascular
Ethyl ether	60-29-7	260	1400	5	850	850	50	-Body Weight
Ethyl methacrylate	97-63-2	630	3500	3.5	NA	NA	35	-Kidney
Ethyl p-nitrophenyl phenylphosphorothioate [or EPN]	2104-64-5	0.8	18	0.02	0.003	0.003	0.2	-Neurological
Ethylbenzene	100-41-4	1500	9200	0.6	12	12	6	-Developmental -Kidney -Liver
Ethylene diamine	107-15-3	1100	11000	0.6	3.2	3.2	6	-Blood -Cardiovascular
Ethylene glycol	107-21-1	110000	*	56	65	65	560	-Kidney
Ethylene oxide	75-21-8	0.3	0.4	0.0002	20	20	0.002	-Carcinogen
Ethylene thiourea [or ETU]	96-45-7	7	57	0.001	5.6	5.6	0.01	-Carcinogen -Thyroid
Ethylphthalyl ethylglycolate [or EPEG]	84-72-0	260000	*	1200	NA	NA	12000	-Kidney
ETU [see Ethylene thiourea]								
Fenamiphos	22224-92-6	19	340	0.02	0.003	0.003	0.2	-Neurological
Fensulfotion	115-90-2	19	310	0.01	0.004	0.004	0.1	-Neurological
Fenvalerate [see Pydrin]								

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Fluometuron	2164-17-2	980	16000	0.9	1.8	1.8	9	-None Specified
Fluoranthene	206-44-0	3200	59000	1200	1.3	1.3	12000	-Blood -Kidney -Liver
Fluorene	86-73-7	2600	33000	160	17	17	1600	-Blood
Fluoride	7782-41-4	840**	130000	6000	30000	15000	60000	-Teeth mottling
Fluoridone	59756-60-4	7000	180000	2500	460	460	25000	-Kidney -Reproductive
Fonofos	944-22-9	140	2100	0.4	0.003	0.003	4	-Liver -Neurological
Formaldehyde	50-00-0	23	31	2.4	0.4	0.4	24	-Carcinogen -Gastrointestinal
Furan	110-00-9	4.8	26	0.09	NA	NA	0.9	-Liver
Furfural	98-01-1	190	2400	0.09	2.7	2.7	0.9	-Liver -Nasal
Glycidaldehyde	765-34-4	15	120	0.01	NA	NA	0.1	-Adrenals -Blood -Kidney
Glyphosate [or Roundup]	1071-83-6	8800	220000	3.3	0.5	0.5	33	-Kidney
Guthion [or Methyl azinphos]	86-50-0	120	2400	0.2	0.0002	0.0002	2	-Neurological
Heptachlor	76-44-8	0.2	1	23	0.01	0.01	230	-Carcinogen -Liver
Heptachlor epoxide	1024-57-3	0.1	0.5	0.6	0.0001	0.0001	6	-Carcinogen -Liver
Hexachloro-1,3-butadiene	87-68-3	6.2	13	1	110	110	10	-Carcinogen -Kidney
Hexachlorobenzene	118-74-1	0.4	1.2	2.2	0.0006	0.0006	22	-Carcinogen -Liver
Hexachlorocyclohexane, alpha- [or BHC, alpha-]	319-84-6	0.1	0.6	0.0003	0.0003	0.0003	0.003	-Carcinogen
Hexachlorocyclohexane, beta- [BHC, beta-]	319-85-7	0.5	2.4	0.001	0.003	0.003	0.01	-Carcinogen

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Hexachlorocyclohexane, delta- [or BHC, delta-]	319-86-8	24	490	0.2	NA	NA	2	-Kidney -Liver
Hexachlorocyclohexane, gamma- [or Lindane or BHC, gamma-]	58-89-9	0.7	2.5	0.009	0.003	0.003	0.09	-Carcinogen -Kidney -Liver
Hexachlorocyclopentadiene	77-47-4	9.5	50	400	24	24	4000	-Gastrointestinal
Hexachloroethane	67-72-1	38	87	0.2	0.2	0.2	2	-Carcinogen -Kidney
Hexachlorophene	70-30-4	26	670	53	26	26	530	-Neurological
Hexahydro-1,3,5-trinitro-1,3,5-triazine [or RDX]	121-82-4	7.7	28	0.002	1.3	1.3	0.02	-Carcinogen -Reproductive
Hexane, n-	110-54-3	680	3900	2.1	1200	1200	21	-Neurological
Hexanone, 2- [or Methyl butyl ketone]	591-78-6	24	130	1.4	NA	NA	14	-None Specified
Hexazinone	51235-04-2	2300	32000	1.1	120	120	11	-Body Weight
Hydroquinone	123-31-9	2600	35000	1.4	0.02	0.02	14	-Blood
Indeno(1,2,3-cd)pyrene	193-39-5	#	#	6.6	NA	NA	66	-Carcinogen
Iron	7439-89-6	53000	*	***	***	***	***	-Gastrointestinal
Isobutyl alcohol	78-83-1	6400	42000	8.9	200	200	89	-Neurological
Isophorone	78-59-1	540	1200	0.2	3.8	3.8	2	-Carcinogen -None Specified
Isopropyl benzene [see Cumene]								
Karate [see Cyhalothrin, lambda]								
Kelthane [see Dicofof]								
Lead (d)	7439-92-1	400	1400	***	NA	***	***	-Neurological

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Limonene	138-86-3	640	3600	42	NA	NA	420	-Kidney -Liver
Lindane [see Hexachlorocyclohexane, gamma-]								
Linuron	330-55-2	160	3100	0.04	1.4	1.4	0.4	-Blood
Lithium	7439-93-2	1700	44000	***	NA	NA	***	-None Specified
Malathion	121-75-5	1500	24000	4.2	0.003	0.003	42	-Neurological
Maleic anhydride	108-31-6	3200	24000	2.8	NA	NA	28	-Kidney
Maleic hydrazide	123-33-1	1000	5400	16	3.4	3.4	160	-Kidney
Malonitrile	109-77-3	1.2	13	0.0006	NA	NA	0.006	-Liver -Spleen
Maneb	12427-38-2	410	8400	2.9	0.5	0.5	29	-Thyroid
Manganese	7439-96-5	3500	43000	***	NA	NA	***	-Neurological
MCPA [see Methyl-4-chlorophenoxy acetic acid, 2-]								
MCPP [see Propionic acid, 2-(2-methyl-4-chlorophenoxy)]								
Mercury (c)	7439-97-6	3	17	2.1	0.01	0.03	21	-Neurological
Mercury, methyl- [see Methylmercury]								
Merphos	150-50-5	2.5	52	0.5	NA	NA	5	-Neurological
Merphos oxide	78-48-8	2.5	56	0.3	0.3	0.3	3	-Neurological
Methacrylonitrile	126-98-7	1	5.9	0.003	NA	NA	0.03	-Liver
Methamidophos	10265-92-6	3.1	36	0.001	0	0	0.01	-Neurological

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Methanol	67-56-1	13000	90000	14	180	180	140	-Developmental -Eye -Neurological
Methidathion	950-37-8	68	950	0.003	0.0001	0.0001	0.03	-Liver
Methomyl	16752-77-5	38	200	1.2	0.007	0.007	12	-Kidney -Spleen
Methoxy-5-nitroaniline, 2-	99-59-2	19	71	0.006	NA	NA	0.06	-Carcinogen
Methoxychlor	72-43-5	420	8800	160	0.1	0.1	1600	-Developmental -Reproductive
Methyl acetate	79-20-9	6800	38000	16	NA	NA	160	-Liver
Methyl acrylate	96-33-3	260	1500	0.9	NA	NA	9	-None Specified
Methyl azinphos [see Guthion]								
Methyl bromide [see Bromomethane]								
Methyl butyl ketone [see Hexanone, 2-]								
Methyl chloride [or Chloromethane]	74-87-3	4	5.7	0.01	2.3	2.3	0.1	-Carcinogen -Neurological
Methyl chloroform [see Trichloroethane, 1,1,1-]								
Methyl ethyl ketone [or Butanone, 2-]	78-93-3	16000	110000	17	490	490	170	-Developmental
Methyl isobutyl ketone [or MIBK]	108-10-1	4300	44000	2.6	110	110	26	-Kidney -Liver
Methyl methacrylate	80-62-6	1900	10000	0.1	32	32	1	-Nasal
Methyl parathion [or Parathion, methyl]	298-00-0	20	370	0.06	0.0003	0.0003	0.6	-Blood -Neurological
Methyl styrene (mixed)	25013-15-4	120	770	0.8	NA	NA	8	-Nasal
Methyl styrene, alpha	98-83-9	1500	10000	11	NA	NA	110	-Kidney -Liver

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria (mg/kg)	Leachability Based on Freshwater Surface Water Criteria (mg/kg)	Leachability Based on Marine Surface Water Criteria (mg/kg)	Leachability Based on Groundwater of Low Yield/Poor Quality (mg/kg)	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
Methyl tert-butyl ether [or MTBE]	1634-04-4	4400	24000	0.09	150	150	0.9	-Eye -Kidney -Liver
Methyl-4-chlorophenoxy acetic acid, 2- [or MCPA]	94-74-6	35	500	0.02	0.4	0.4	0.2	-Kidney -Liver
Methylaniline, 2-	95-53-4	2.6	6.4	0.0009	0.2	0.2	0.009	-Carcinogen
Methylene bis(2-chloroaniline), 4,4-	101-14-4	6.4	23	0.001	NA	NA	0.01	-Carcinogen -Liver -Bladder
Methylene bromide	74-95-3	96	550	0.3	NA	NA	3	-Blood
Methylene chloride	75-09-2	17	26	0.02	7.3	7.3	0.2	-Carcinogen -Liver
Methylene diphenyl diisocyanate	101-68-8	400	2100	NA	NA	NA	NA	-Nasal
Methylmercury [or Mercury, methyl]	22967-92-6	1.1	6.1	0.002	NA	NA	0.02	-Neurological
Methylnaphthalene, 1-	90-12-0	200	1800	3.1	10	10	31	-Nasal
Methylnaphthalene, 2-	91-57-6	210	2100	8.5	9.1	9.1	85	-Nasal
Methylphenol, 2- [or Cresol, o-]	95-48-7	2900	31000	0.3	1.9	1.9	3	-Neurological
Methylphenol, 3- [or Cresol, m-]	108-39-4	2900	33000	0.3	3.3	3.3	3	-Neurological
Methylphenol, 4- [or Cresol, p-]	106-44-5	300	3400	0.03	0.5	0.5	0.3	-Neurological -Respiratory
Metolachlor	51218-45-2	12000	200000	1.2	0.01	0.01	12	-Body Weight
Metribuzin	21087-64-9	54	290	2.2	0.8	0.8	22	-Kidney -Liver
Metsulfuron, methyl [see Ally]								
Mevinphos	7786-34-7	18	270	0.01	0.0003	0.0003	0.1	-Neurological
MIBK [see Methyl isobutyl ketone]								

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Molinate	2212-67-1	120	1300	0.1	0.1	0.1	1	-Reproductive
Molybdenum	7439-98-7	440	11000	***	NA	NA	***	-Gout
MTBE [see Methyl tert-butyl ether]								
Naled	300-76-5	150	2400	0.1	0.0002	0.0002	1	-Neurological
Naphthalene	91-20-3	55	300	1.2	2.2	2.2	12	-Nasal
Nickel (b,c)	7440-02-0	340**	35000	130	NA	11	1300	-Body Weight
Nitrate	14797-55-8	140000	*	***	NA	NA	***	-Blood
Nitrite	14797-65-0	8700	220000	***	NA	NA	***	-Blood
Nitroaniline, m-	99-09-2	21	130	0.01	NA	NA	0.1	-Blood -Carcinogen
Nitroaniline, o-	88-74-4	24	130	0.1	NA	NA	1	-Blood
Nitroaniline, p-	100-01-6	17	96	0.008	5.9	5.9	0.08	-Blood -Carcinogen
Nitrobenzene	98-95-3	18	140	0.02	0.6	0.6	0.2	-Adrenals -Blood -Kidney -Liver
Nitroglycerin	55-63-0	27	54	0.03	NA	NA	0.3	-Carcinogen -Cardiovascular
Nitrophenol, 4-	100-02-7	560	7900	0.3	0.3	0.3	3	-None Specified
Nitroso-di-ethylamine, N-	55-18-5	0.003	0.005	0.000001	0.00003	0.00003	0.00001	-Carcinogen
Nitroso-dimethylamine, N-	62-75-9	0.009	0.02	0.000003	0.01	0.01	0.00003	-Carcinogen
Nitroso-di-n-butylamine, N-	924-16-3	0.05	0.08	0.00009	0.0005	0.0005	0.0009	-Carcinogen
Nitroso-di-n-propylamine, N-	621-64-7	0.08	0.2	0.00005	0.005	0.005	0.0005	-Carcinogen

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Nitroso-diphenylamine, N-	86-30-6	180	730	0.4	0.3	0.3	4	-Carcinogen
Nitroso-N-methylethylamine, N-	10595-95-6	0.02	0.04	0.000006	0.0002	0.0002	0.00006	-Carcinogen
Nitrotoluene, m-	99-08-1	640	4700	1.4	3.6	3.6	14	-Spleen
Nitrotoluene, o-	88-72-2	400	3300	0.9	7.3	7.3	9	-Spleen
Nitrotoluene, p-	99-99-0	750	12000	0.9	7.3	7.3	9	-Spleen
Nonylphenol	25154-52-3	100	2200	20	14	3.4	200	-Kidney
Octamethylpyrophosphoramidate	152-16-9	130	1600	0.06	NA	NA	0.6	-Neurological
Oxamyl	23135-22-0	1700	22000	0.9	0.04	0.04	9	-Body Weight
Paraquat	1910-42-5	340	5500	16	230	230	160	-Respiratory
Parathion	56-38-2	500	11000	1	0.01	0.01	10	-Neurological
Parathion, methyl [see Methyl parathion]								
PCBs [or Aroclor mixture]	1336-36-3	0.5	2.6	17	0.002	0.002	170	-Carcinogen -Immunological
PCE [see Tetrachloroethene]								
Pebulate	1114-71-2	2000	17000	8.5	7.4	7.4	85	-Blood
Pendimethalin	40487-42-1	3200	58000	28	1	1	280	-Liver
Pentachlorobenzene	608-93-5	45	480	3.9	1.2	1.2	39	-Kidney -Liver
Pentachloronitrobenzene	82-68-8	3.3	12	0.2	0.03	0.03	2	-Carcinogen -Liver
Pentachlorophenol	87-86-5	7.2	28	0.03	0.2	0.2	0.3	-Carcinogen -Kidney -Liver

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
Permethrin	52645-53-1	4200	96000	2500	0.007	0.007	25000	-Liver
Phenanthrene	85-01-8	2200	36000	250	NA	NA	2500	-Kidney
Phenmedipham [or Betanal]	13684-63-4	21000	450000	150	18	18	1500	-None Specified
Phenol	108-95-2	500**	220000	0.05	0.03	0.03	0.5	-Developmental
Phenylenediamine, m-	108-45-2	360	4000	0.2	NA	NA	2	-Liver
Phenylenediamine, o-	95-54-5	17	54	0.004	NA	NA	0.04	-Carcinogen
Phenylenediamine, p-	106-50-3	12000	160000	6.2	NA	NA	62	-Whole Body
Phenylphenol, 2-	90-43-7	490	2100	0.4	0.8	0.8	4	-Carcinogen
Phorate	298-02-2	16	320	0.3	0.001	0.001	3	-Neurological
Phosmet	732-11-6	1600	33000	5	0.004	0.004	50	-Liver -Neurological
Phthalic acid, p-	100-21-0	8000	45000	110	NA	NA	1100	-Bladder
Phthalic anhydride	85-44-9	11000	63000	76	NA	NA	760	-Kidney -Nasal -Respiratory
Polychlorinated dibenzo-p-dioxins [see Dioxins]								
Prometon	1610-18-0	1200	23000	2.4	14	14	24	-None Specified
Prometryn	7287-19-6	320	6100	0.7	0.5	0.5	7	-Bone Marrow -Kidney -Liver
Propachlor	1918-16-7	990	17000	1.1	0.1	0.1	11	-Liver
Propanil	709-98-8	390	6700	0.4	0.2	0.2	4	-Spleen
Propazine	139-40-2	1600	28000	0.2	2.7	2.7	2	-Body Weight

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria (mg/kg)	Leachability Based on Freshwater Surface Water Criteria (mg/kg)	Leachability Based on Marine Surface Water Criteria (mg/kg)	Leachability Based on Groundwater of Low Yield/Poor Quality (mg/kg)	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
Propionic acid, 2-(2-methyl-4-chlorophenoxy) [or MCPP]	93-65-2	64	800	0.03	NA	NA	0.3	-Kidney
Propoxur [see Baygon]								
Propylene glycol	57-55-6	*	*	560	140	140	5600	-Blood -Bone Marrow
Propylene glycol monomethyl ether	107-98-2	38000	390000	20	NA	NA	200	-Kidney -Liver -Neurological
Propylene oxide	75-56-9	3.1	9.3	0.0006	NA	NA	0.006	-Carcinogen -Nasal -Respiratory
Pydrin [or Fenvalerate]	51630-58-1	2100	46000	70	0.0001	0.0001	700	-Neurological
Pyrene	129-00-0	2400	45000	880	1.3	1.3	8800	-Kidney
Pyridine	110-86-1	20	130	0.03	5.4	5.4	0.3	-Liver
Quinoline	91-22-5	0.3	1.3	0.0009	NA	NA	0.009	-Carcinogen
RDX [see Hexahydro-1,3,5-trinitro-1,3,5-triazine]								
Resmethrin	10453-86-8	2500	56000	1200	0.01	0.01	12000	-Reproductive
Ronnel	299-84-3	4200	88000	1300	0.2	0.2	13000	-Liver
Roundup [see Glyphosate]								
Selenium (b,c)	7782-49-2	440	11000	5.2	0.5	7.4	52	-Hair Loss -Neurological -Skin
Sevin [see Carbaryl]								
Silver (b)	7440-22-4	410	8200	17	0.01	0.06	170	-Skin
Silvex [see Trichlorophenoxy propionic acid]								
Simazine	122-34-9	7.8	35	0.08	0.1	0.1	0.8	-Blood -Carcinogen

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Strontium	7440-24-6	52000	*	***	NA	NA	***	-Bone
Strychnine	57-24-9	23	380	0.02	0.3	0.3	0.2	-Mortality
Styrene	100-42-5	3600	23000	3.6	16	16	36	-Blood -Liver -Neurological
TCDD, 2,3,7,8- [see Dioxins, as total 2,3,7,8-TCDD equivalents]								
TCE [see Trichloroethene]								
Temik [see Aldicarb]								
Terbacil	5902-51-2	920	14000	0.5	14	14	5	-Liver -Thyroid
Terbufos	13071-79-9	1.9	29	0.02	0.001	0.001	0.2	-Neurological
Terbutryn	886-50-0	88	2200	0.2	0.09	0.09	2	-Blood
Tetrachlorobenzene, 1,2,4,5-	95-94-3	12	100	0.5	0.4	0.4	5	-Kidney
Tetrachloroethane, 1,1,1,2-	630-20-6	2.9	4.3	0.01	NA	NA	0.1	-Carcinogen -Kidney -Liver
Tetrachloroethane, 1,1,1,2,2-	79-34-5	0.7	1.2	0.001	0.08	0.08	0.01	-Carcinogen -Liver
Tetrachloroethene [or PCE]	127-18-4	8.8	18	0.03	0.1	0.1	0.3	-Carcinogen -Liver
Tetrachlorophenol, 2,3,4,6-	58-90-2	2100	30000	3.2	0.07	0.07	32	-Liver
Tetraethyl dithiopyrophosphate	3689-24-5	35	510	0.1	0.0004	0.0004	1	-Bone Marrow -Neurological
Thallium	7440-28-0	6.1	150	2.8	9	9	28	-Hair Loss -Liver
Thiobencarb	28249-77-6	810	16000	2.9	NA	NA	29	-Kidney
Thiram	137-26-8	400	7700	1.1	0.005	0.005	11	-Neurological

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Tin	7440-31-5	47000	880000	***	NA	NA	***	-Kidney -Liver
Toluene	108-88-3	7500	60000	0.5	5.6	5.6	5	-Kidney -Liver -Neurological
Toluene diisocyanate, 2,4/2,6- mixture	26471-62-5	1.3	15	NA	NA	NA	NA	-Respiratory
Toluidine, p-	106-49-0	2.2	4.5	0.0009	NA	NA	0.009	-Carcinogen
Toxaphene	8001-35-2	0.9	4.5	31	0.002	0.002	310	-Carcinogen -Developmental
Triallate	2303-17-5	980	16000	8.4	6	6	84	-Liver -Spleen
Tributyltin oxide	56-35-9	25	570	7.6	0.2	0.2	76	-Immunological
Trichloro-1,2,2-trifluoroethane, 1,1,2- [or CFC 113]	76-13-1	18000	96000	11000	NA	NA	110000	-Neurological
Trichloroacetic acid	76-03-9	770	8800	0.04	400	400	0.4	-None Specified
Trichlorobenzene, 1,2,3-	87-61-6	650	8200	4.6	5.6	5.6	46	-Adrenals
Trichlorobenzene, 1,2,4-	120-82-1	660	8500	5.3	1.7	1.7	53	-Adrenals
Trichlorobenzene, 1,3,5-	108-70-3	260	2300	16	NA	NA	160	-None Specified
Trichloroethane, 1,1,1- [or Methyl chloroform]	71-55-6	730	3900	1.9	2.6	2.6	19	-None Specified
Trichloroethane, 1,1,2-	79-00-5	1.4	2	0.03	0.09	0.09	0.3	-Carcinogen -Liver
Trichloroethene [or TCE]	79-01-6	6.4	9.3	0.03	0.9	0.9	0.3	-Carcinogen -None Specified
Trichlorofluoromethane	75-69-4	270	1500	33	NA	NA	330	-Cardiovascular -Kidney -Respiratory
Trichlorophenol, 2,4,5-	95-95-4	7700	130000	0.07	1.5	1.5	0.7	-Kidney -Liver
Trichlorophenol, 2,4,6-	88-06-2	70	230	0.06	0.1	0.1	0.6	-Carcinogen

Table II
Soil Cleanup Target Levels

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria (mg/kg)	Leachability Based on Freshwater Surface Water Criteria (mg/kg)	Leachability Based on Marine Surface Water Criteria (mg/kg)	Leachability Based on Groundwater of Low Yield/Poor Quality (mg/kg)	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
Trichlorophenoxy acetic acid, 2,4,5-	93-76-5	690	9500	0.4	0.8	0.8	4	-Kidney
Trichlorophenoxy propionic acid, 2, (2, 4, 5-) [or Silvex]	93-72-1	660	14000	5.4	NA	NA	54	-Liver
Trichloropropane, 1,1,2-	598-77-6	76	460	0.3	NA	NA	3	-Kidney -Liver -Thyroid
Trichloropropane, 1,2,3-	96-18-4	0.06	0.1	0.0001	0.001	0.001	0.001	-Carcinogen -Kidney -Liver
Trichloropropene, 1,2,3-	96-19-5	18	98	0.4	NA	NA	4	-Eye
Triethylamine	121-44-8	41	270	NA	NA	NA	NA	-Nasal
Trifluralin	1582-09-8	92	280	3.6	0.2	0.2	36	-Blood -Carcinogen -Liver
Trimethyl phosphate	512-56-1	19	57	0.004	NA	NA	0.04	-Carcinogen
Trimethylbenzene, 1,2,3-	526-73-8	18	96	0.3	NA	NA	3	-None Specified
Trimethylbenzene, 1,2,4-	95-63-6	18	95	0.3	7.2	7.2	3	-None Specified
Trimethylbenzene, 1,3,5-	108-67-8	15	80	0.3	6.7	6.7	3	-None Specified
Trinitrobenzene, 1,3,5-	99-35-4	2000	26000	1	0.09	0.09	10	-Blood -Spleen
Trinitrophenylmethylnitramine	479-45-8	790	15000	1.4	NA	NA	14	-Kidney -Liver -Spleen
Trinitrotoluene, 2,4,6-	118-96-7	28	97	0.006	0.3	0.3	0.06	-Carcinogen -Liver
Trithion [see Carbophenothion]								
TRPH	NOCAS	460	2700	340	340	340	3400	-Multiple Endpoints Mixed Contaminants
Uranium, soluble salts	7440-61-1	110	820	***	NA	NA	***	-Kidney
Vanadium (b)	7440-62-2	67**	10000	980	NA	NA	9800	-Hair Loss

**Table II
Soil Cleanup Target Levels**

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria (mg/kg)	Leachability Based on Freshwater Surface Water Criteria (mg/kg)	Leachability Based on Marine Surface Water Criteria (mg/kg)	Leachability Based on Groundwater of Low Yield/Poor Quality (mg/kg)	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)					
Vernam	1929-77-7	51	510	0.1	0.2	0.2	1	-Body Weight
Vinyl acetate	108-05-4	320	1700	0.4	3	3	4	-Kidney -Nasal
Vinyl chloride (i)	75-01-4	0.2	0.8	0.007	0.02	0.02	0.07	-Carcinogen -Liver
Xylenes, total	1330-20-7	130	700	0.2	3.9	3.9	2	-Neurological
Zinc (b,c)	7440-66-6	26000	630000	***	NA	***	***	-Blood
Zinc phosphide	1314-84-7	26	660	***	NA	NA	***	-Body Weight
Zineb	12122-67-7	4100	82000	19	0.7	0.7	190	-Thyroid

**Table II
Soil Cleanup Target Levels**

Contaminants	CAS#s	Direct Exposure		Leachability Based on Groundwater Criteria	Leachability Based on Freshwater Surface Water Criteria	Leachability Based on Marine Surface Water Criteria	Leachability Based on Groundwater of Low Yield/Poor Quality	Target Organs/Systems or Effects†
		Residential	Commercial/Industrial					
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	

Values expressed on a dry weight basis and rounded to two significant figures if >1 and to one significant figure if <1.

† = These default Target Organ(s)/Systems or Effects are those reported to occur at the doses used to derive the reference dose. Non-default Target Organ(s)/Systems or Effects may be justified through a detailed toxicological analysis of the chemicals present at a specific site.

* Contaminant is not a health concern for this exposure scenario.

** Direct exposure value based on acute toxicity considerations.

*** Leachability values may be derived using the SPLP Test to calculate site-specific SCTLs or may be determined using TCLP in the event oily wastes are present.

= Site concentrations for carcinogenic polycyclic aromatic hydrocarbons must be converted to Benzo(a)pyrene equivalents before comparison with the appropriate direct exposure SCTL for Benzo(a)pyrene using the approach described in the February 2005 'Final Technical Report: Development of Cleanup Target Levels (CTLs) for Chapter 62-777, F.A.C.'

(a) = See discussion on the development of SCTLs for Ammonia in the February 2005 'Final Technical Report: Development of Cleanup Target Levels (CTLs) for Chapter 62-777, F.A.C.'

(b) = Leachability values derived from USEPA Soil Screening Guidance (1996). These values were derived assuming soil pH 6.8. These leachability values are dependent upon both the metal concentration in soil and soil characteristics. Thus, if site-specific soil characteristics are different than the defaults, these leachability values may not apply. If this is the case, site-specific leachability values should be derived using methods such as TCLP or SPLP.

(c) = Phytotoxicity must be considered.

(d) = Residential direct exposure value from USEPA Revised Interm Soil Guidance for CERCLA Sites and RCRA Corrective Action Facilities. OSWER Directive 9355.4-12 (1994). The industrial direct exposure value was derived using methodologies outlined in USEPA 'Recommendations of the Technical Review Workgroup for Lead for an Interim Approach to Assessing Risks Associated with Adult Exposures to Lead in Soil', December 1996; and in 'Blood Lead Concentrations of U.S. Adult Females: Summary Statistics from Phases 1 and 2 of the NHANES III', March 2002.

(e) = The SCTL for Dioxins, as total 2,3,7,8-TCDD equivalents should be compared to the total dioxin equivalents for chlorinated dioxin and dibenzofuran congeners using the approach described in the February 2005 'Draft Technical Report: Development of Cleanup Target Levels (CTLs) for Chapter 62-777, F.A.C.'

(f) = The common name BHC is a misnomer for hexachlorocyclohexane.

(g) = Unless concentrations for both chromium III and VI are known, total chromium concentrations should be compared with direct exposure SCTLs for chromium VI.

(h) = Residential chronic SCTL for cadmium should be used as a not-to-exceed value because the residential chronic SCTL for cadmium is indistinguishable from the SCTL based on acute toxicity.

(i) = Residential chronic SCTL for vinyl chloride calculated by adding prorated and non-prorated risks, as discussed in the February 2005 'Final Technical Report: Development of Cleanup Target Levels (CTLs) for Chapter 62-777, F.A.C.'

(j) = 12789-03-6 or 57-74-9

Note: If more than one contaminant is present at a site, the direct exposure values are to be modified, if necessary, such that the sum of the hazard quotients for non-carcinogenic contaminants affecting the same organ(s) is 1 or less. For carcinogens, the direct exposure values shall be modified such that the cumulative lifetime risk level posed by the contaminants is 1.0E-06, as presented in Figure 10 of the February 2005 'Final Technical Report: Development of Cleanup Target Levels (CTLs) for Chapter 62-777, F.A.C.'

None Specified = Target organ(s) not determined at time of rule adoption.

NA = Not available at time of rule adoption.